Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S158	2	"5305363".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 16:16
S157	20	"5305363"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 16:16
S156	2	S154 and Burke	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 16:16
S155	1	S154 and Richey	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 16:15
S154	44	S153 and method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 16:09
S153	63	(US-2002008567 4-$ or US-20020094064-$ or US-20030128801-$ or US-20030206609-$ or US-20040101110-$).did. or (US-3970853-$ or US-4051378-$ or US-4084094-$ or US-4129783-$ or US-4135095-$ or US-4153842-$ or US-4158142-$ or US-4190773-$ or US-4203036-$ or US-4206362-$ or US-4239972-$ or US-4274005-$ or US-4289969-$ or US-4309615-$ or US-4377867-$ or US-4384359-$ or US-4464776-$ or US-4547892-$ or US-4562583-$ or US-4592079-$ or US-4669103-$ or US-4761802-$ or US-4817119-$ or US-4864594-$ or US-4866745-$ or US-4894852-$).did. or (US-4989225-$ or US-4991190-$ or US-5040871-$ or US-5068882-$ or US-5073910-$ or US-5191600-$ or US-5195112-$ or US-5253171-$ or US-5299249-$ or US-5305363-$ or US-5341460-$ or US-5592526-$ or US-5604778-$ or US-5610967-$ or US-5644612-$ or US-5841830-$ or US-5841831-$ or US-5966422-$ or US-6047040-$ or US-6148058-$ or US-6198790-$ or US-6208706-$ or US-6229870-$ or US-6385292-$ or US-6411671-$ or US-6421412-$ or US-6556651-$).did. or (US-6873677-$ or US-5467377-$ or US-5259012-$).did. or (EP-588002-$).did. (JP-53003177-$).did. or (EP-588002-$).did.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/09/08 15:50

S152	2	"5305363".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:50
S151	20	"5305363"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:50
S150	2	"20020085674"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:49
S149	2	(target near5 (hollow near5 cylinder")) near4 (rotat$3) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:28
S148	0	(target near (hollow adj cylinder)) near4 (rotat$3) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:31
S147	5	(target) near4 (rotat$3 near5 own near5 axis) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:30
S146	0	(cylinder near5 target) near4 (rotat$3 near5 own near5 axis) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:29

S145	1	(cylinder near5 target) near4 (rotat$3 near5 (about around) near5 axis) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:29
S144	96	(target) near4 (rotat$3 near5 (about around) near5 axis) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		2005/09/08 13:28
S143	0	(hollow near5 cylinder) near5 (rotat$3 near5 (about around) near5 its near5 axis) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:26
S142	1	(hollow near5 cylinder) near5 (rotat$3 near5 (about around) near5 axis) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:26
S141	4	(hollow near5 target) near5 (rotat$3 near5 (about around) near5 axis) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:25
S140	0	(hollow near5 target) and (rotat$3 near5 (about around) near5 (its) near5 axis) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:24
S139	0	(hollow near5 target) and (rotat$3 near5 (about around) near5 its near5 axis) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:24

	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S138	27	(hollow near5 target) and (rotat$3 near3 (about around) near3 axis) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:23
S137	0	(hollow near5 target) and (rotat$3 near3 (about around) near3 its near3 axis) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:21
S136	0	(hollow near5 target) and (rotat$3 adj (about around) adj its adj axis) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:21
S135	4	(hollow near3 (x-ray xray) adj tube) near10 target and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:20
S134	30	(hollow near3 (x-ray xray) adj tube) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:08
S133	14129	(hollow near3 (x-ray xray) ad tube) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:07
S132	79	(hollow near3 (x-ray xray) near3 tube) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:07

Ref #	Hits	Search Query	Databases	Default Operator	Plurals	Time Stamp
S131	13	(hollow near5 cylinder) near5 target and "378"/5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:06
S130	0	(hallow near5 cylinder) near5 target and "378"/5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:03
S129	0	(hallow near5 cylinder) near5 target and 378/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:03
S128	0	(hallow adj cylinder) near5 target and 378/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:02
S127	2	("20020085674").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 13:02
S126	0	"20020085674"	USPAT	OR	ON	2005/09/08 11:26
S125	0	"20020085674"	USPAT	OR	ON	2005/09/08 11:26
S124	0	"20020085674"	USPAT	OR	ON	2005/09/08 11:26
S123	90	(fourth adj generation) near5 detector and 378/4.ccls.	USPAT	OR	ON	2005/09/08 11:25
S122	2	(fourth adj generation) near1 detector and 378/4.ccls.	USPAT	OR	ON	2005/09/08 10:48
S121	153	fourth adj generation and 378/4.ccls.	USPAT	OR	ON	2005/09/08 10:48
S120	3	(detector adj ring) near5 (two-dimension$2 or (two adj dimension$2)) and 378/4.ccls.	USPAT	OR	ON	2005/09/08 10:47
S119	1	(detector adj ring) near5 (one-dimension$2 or (one adj dimension$2)) and 378/4.ccls.	USPAT	OR	ON	2005/09/08 10:38
S118	51	(detector adj ring) and 378/4.ccls.	USPAT	OR	ON	2005/09/08 10:37
S117	11	"5966422"	USPAT	OR	ON	2005/09/08 10:25
S116	0	"0967303"	USPAT	OR	ON	2005/09/08 10:21

S115	0	("2002/0094064").URPN.	USPAT	OR	ON	2005/09/08 09:55
S114	2	"20020094064"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 09:54
S113	13	Edic adj et adj al	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:14
S112	0	Edic adj et adj "al."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:14
S111	1	"6034156O"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:14
S110	79	(x-ray xray xrays x-rays) near1 (z$1direction z$1axis z$1dimension z-resolution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:05
S109	183	(x-ray xray xrays x-rays) near2 (z$1direction z$1axis z$1dimension z-resolution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:50
S108	399	(x-ray xray xrays x-rays) near5 (z$1direction z$1axis z$1dimension z-resolution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:50

S107	5	((line adj source) or line-source) near5 (z$1direction z$1axis z$1dimension z-resolution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:50
S89	739	source near5 z$1direction z$1axis z$1dimension z-resolution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:48
S106	0	(line-sources) and "378"/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:47
S105	0	(line-source) and "378"/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:47
S104	8	(line-source) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:47
S103	313	((line adj source) line-source) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:43
S79	313	(line adj source) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:42
S102	8	("2489133" | "2692948" | "3418474" | "3930162" | "3991312").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 14:30

Search #	Hits	Query	Databases	Default Operator	Plurals	Time Stamp
S101	1	"4047041".PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 14:30
S100	1	"4031396".PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 14:30
S99	1	"3881110".PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 14:26
S98	1	"3778614".PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 14:26
S97	2	("4051378" | "4057725").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 14:25
S96	14	"4129783"	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 14:24
S95	5	("4884566" | "5210421" | "5299253" | "5391877" | "5598003").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 14:24
S94	4	("5376795" | "5600145" | "5672877" | "6211523").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 14:16
S93	1	("5412562").URPN.	USPAT	OR	ON	2005/09/07 14:13
S92	1289	378/4.CCLS.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 14:09
S91	4	("4630202" | "4994965" | "5073911" | "5262946").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/07 14:09
S90	166	S89 and "378"/$.ccls. not ($82 $83)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2005/09/07 13:36
S88	22	S86 and "378"/$.ccls. not ($82 $83)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 13:36

	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S86	94	source near1 (z$1direction z$1axis z$1dimension z-resolution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 13:35
S87	1	S86 and "378"/$.ccls. not (S82 S83 S84 S85)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 13:33
S84	90	source near1 (z$1direction z$1axis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 13:32
S85	21	S84 and "378"/$.ccls. not (S82 and S83)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 13:29
S82	30	source near1 (z$1direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 13:28
S83	6	S82 and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 13:25
S81	2	"2002008567 4"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 13:24

S80	29	(line adj source) and "378"/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:29
S78	0	(line near1 souce) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:12
S77	0	(line adj souce) and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:11
S76	3	"5592526"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:10
S75	15	"6385292"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:05
S74	19	"6385282"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:43
S73	19	"6385282"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:42

	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S72	2	"20020094064"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:41
S71	2	"20040120449"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:16
S70	2	"20050123092"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:04
S69	20	"5305363"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:41
S68	11	"5299249"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/06 13:09
S67	14	S66 and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:24
S66	17	distributed adj (xray x-ray) adj source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 17:24

S65	5	(thermionic (cold adj cathode) cold-cathode photo (photo near1 emitter) ferroelectric (laser near1 diode) monolithic) and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:34
S61	156	addressable near5 emission and (thermionic (cold adj cathode) cold-cathode photo (photo near1 emitter) ferroelectric (laser near1 diode) monolithic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:34
S64	11	address$4 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:33
S63	0	address$4 near5 emission and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:33
S62	0	addressable near5 emission and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:33
S57	2	((cold near5 cathode) or cold-cathode) near5 vacuum and (anode near5 station$3) and space$2 and apart	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:33
S60	0	S58 and addressable near5 emission and (thermionic (cold adj cathode) cold-cathode photo (photo near1 emitter) ferroelectric (laser near1 diode) monolithic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:32

Ref	Hits	Search Query	Databases	Default Operator	Plurals	Time Stamp
S59	52	S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:30
S58	52	(US-20020085674-$ or US-20020094064-$ or US-20030206609-$).did. or (US-3970853-$ or US-4084094-$ or US-4129783-$ or US-4135095-$ or US-4153842-$ or US-4190773-$ or US-4203036-$ or US-4206362-$ or US-4239972-$ or US-4274005-$ or US-4289969-$ or US-4309615-$ or US-4377867-$ or US-4384359-$ or US-4464776-$ or US-4547892-$ or US-4562583-$ or US-4592079-$ or US-4669103-$ or US-4761802-$ or US-4817119-$ or US-4864594-$ or US-4866745-$ or US-4989225-$ or US-4991190-$).did. or (US-5040871-$ or US-5073910-$ or US-5191600-$ or US-5195112-$ or US-5253171-$ or US-5341460-$ or US-5604778-$ or US-5610967-$ or US-5644612-$ or US-5841830-$ or US-5966422-$ or US-6047040-$ or US-6148058-$ or US-6198790-$ or US-6208706-$ or US-6229870-$ or US-6385292-$ or US-6411671-$ or US-6421412-$ or US-6556651-$ or US-6873677-$).did. or (JP-5300317-$).did.	US-PGPUB; USPAT; JPO	OR	ON	2005/08/30 13:30
S56	1	"378"/$.ccls. and ((cold near5 cathode) or cold-cathode) near5 vacuum and (anode near5 station$3) and space$2 and apart	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:22
S55	1	"378"/$.ccls. and ((cold adj cathode) or cold-cathode) near5 vacuum and (anode near3 station$3) and space$2 and apart	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:22
S54	11	S53 and address$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 15:08
S53	52	(US-20020085674-$ or US-20020094064-$ or US-20030206609-$).did. or (US-3970853-$ or US-4084094-$ or US-4129783-$ or US-4135095-$ or US-4153842-$ or US-4190773-$ or US-4203036-$ or US-4206362-$ or US-4239972-$ or US-4274005-$ or US-4289969-$ or US-4309615-$ or US-4377867-$ or US-4384359-$ or US-4464776-$ or US-4547892-$ or US-4562583-$ or US-4592079-$ or US-4669103-$ or US-4761802-$ or US-4817119-$ or US-4864594-$ or US-4866745-$ or US-4989225-$ or US-4991190-$).did. or (US-5040871-$ or US-5068882-$ or US-5073910-$ or US-5191600-$ or US-5195112-$ or US-5253171-$ or US-5341460-$ or US-5604778-$ or US-5610967-$ or US-5644612-$ or US-5841830-$ or US-5966422-$ or US-6047040-$ or US-6148058-$ or US-6198790-$ or US-6208706-$ or US-6229870-$ or US-6385292-$ or US-6411671-$ or US-6421412-$ or US-6556651-$ or US-6873677-$).did.	US-PGPUB; USPAT; JPO	OR	ON	2005/08/29 15:08

Ref	Hits	Query	Databases		Default Operator	Plurals	Time Stamp
S52	45	one$1dimension$2 near5 array$1 near5 x$1ray$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 14:01
S15	321	two$1dimension$2 near5 array$1 near5 x$1ray$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 13:55
S23	244	two$1dimension$2 near5 array$1 near5 x$1ray$1 not S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 12:10
S51	4	"6556651"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 10:05
S50	28	"4547892"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 14:01
S49	29	"378"/4.ccls. and (line adj source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 13:27
S48	312	"378"/$.ccls. and (line adj source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 13:27

S47	53149	"378"/$.ccls. (line adj source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 13:27
S46	6	"378"/$.ccls. and (station$3 fixed) near1 source and (rotat$3 near5 detector) not S39 not S40 not S42 not (rotat$3 near10 source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 15:57
S45	39	"378"/$.ccls. and (station$3 fixed) near1 source and (rotat$3 near5 detector) not S39 not S40 not S42 not (rotat$3 near3 source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 15:57
S44	43	"378"/$.ccls. and (station$3 fixed) near1 source and (rotat$3 near5 detector) not S39 not S40 not S42 not ((station$3 fixed) near2 detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 15:56
S43	159	"378"/$.ccls. and (station$3 fixed) near1 source and (rotat$3 near5 detector) not S39 not S40 not S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 15:53
S41	177	"378"/$.ccls. and (station$3 fixed) near1 source and (rotat$3 near5 detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 15:42
S42	9	378/9.ccls. and (station$3 fixed) near1 source and (rotat$3 near5 detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 15:40

S40	11	378/10.ccls. and (station$3 fixed) near1 source and (rotat$3 near5 detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 15:39
S39	14	378/10.ccls. and (station$3 fixed) near1 source and (rotat$3 same detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 15:25
S38	0	378/10.ccls. and (station$3 fixed) near1 source and (rotat3 same detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 15:13
S37	45	378/10.ccls. and (rotat$3 near2 detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:22
S36	39	378/10.ccls. and (rotat$3 near2 detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 18:22
S28	151	378/10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 18:21
S1	106	378/9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 18:18

S27	244	"378"/$.ccls. and (station$3 near3 source) and (rotat$4 near3 detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 18:16
S26	614	"378"/$.ccls. and (station$3 near3 source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 18:00
S2	48671	distribut$3 and x$1ray$1 and source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 17:59
S25	19	"566173"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:28
S24	18	"6553096"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 16:48
S22	321	two$1dimension$2 near5 array$1 near5 x$1ray$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 16:38
S19	77	two$1dimension$2 near5 array$1 near5 x$1ray$1 near5 source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 16:37

	Hits	Search Query	Databases		Default Operator	Plurals	Time Stamp
S21	0	S19 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 16:11
S20	24	(US-20020085674-$ or US-20020094064-$).did. or (US-6385292-$ or US-4129783-$ or US-4135095-$ or US-4153842-$ or US-4203036-$ or US-4239972-$ or US-4274005-$ or US-4289969-$ or US-4309615-$ or US-4377867-$ or US-4384359-$ or US-4592079-$ or US-4817119-$ or US-4866745-$ or US-4991190-$ or US-5604778-$ or US-5966422-$ or US-6198790-$ or US-6208706-$ or US-6229870-$ or US-6421412-$).did. or (JP-53003177-$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2005/08/24 16:11
S18	19	S17 and stationary	US-PGPUB; USPAT; JPO	OR	OFF	2005/08/22 16:32
S17	24	(US-20020085674-$ or US-20020094064-$).did. or (US-6385292-$ or US-4129783-$ or US-4135095-$ or US-4153842-$ or US-4203036-$ or US-4239972-$ or US-4274005-$ or US-4289969-$ or US-4309615-$ or US-4377867-$ or US-4384359-$ or US-4592079-$ or US-4817119-$ or US-4866745-$ or US-4991190-$ or US-5604778-$ or US-5966422-$ or US-6198790-$ or US-6208706-$ or US-6229870-$ or US-6421412-$).did. or (JP-53003177-$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2005/08/22 16:25
S16	77	two$1dimension$2 near5 array$1 near5 x$1ray$1 near5 source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 14:15
S14	446	two$1dimension$2 near10 array$1 near10 x$1ray$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 14:12
S13	1	"4057725".PN.	USPAT; USOCR	OR	OFF	2005/08/22 10:44
S12	1	"4051378".PN.	USPAT; USOCR	OR	OFF	2005/08/22 10:43
S11	4	"0206779"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 18:36
S10	2	"20020094064"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 18:36

S9	2	"2002008674"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 18:35
S8	14	"6385292"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 18:34
S7	277	S6 and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:59
S6	446	two$1dimension$2 near10 array$1 near10 x$1ray$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/19 15:59
S5	329	S4 and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 15:57
S4	491	distribut$3 near10 x$1ray$1 near10 source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 15:40
S3	4227	S2 and "378"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 15:39